

**Did you know?**

# Syphilis is a serious infection that can harm you and your baby.

If you are pregnant or planning to have a baby, early testing is extra important to make sure you don't pass syphilis on to your baby.



**Syphilis** is a sexually transmitted infection (STI) that is passed on from one person to another during sex. More women aged 15 to 44 years old are getting it. Find out how you can protect yourself and your loved ones.



## **You might not have any symptoms**

Some people might not feel sick or know they have syphilis.

Look out for sores or ulcers, rashes, muscle and joint aches, headaches and fatigue.



## **Get a test regularly**

Syphilis tests are important routine tests during pregnancy. Visit your doctor, midwife or maternity service provider to get tested.

There is no shame in getting tested – it's private, quick and easy.



## **Treatment**

Treatment is easy – medication gets rid of the infection and is safe for you and your baby.

Without treatment, syphilis can affect your health and the health of your baby. This includes the possible death of your baby.



## **Stay safe**

Practice safe sex – use condoms with a new sexual partner and get tested regularly.

Sexual partners should also be tested regularly to stop syphilis passing back to you or to others.

If you do not feel comfortable contacting sexual partners yourself, you can visit **[www.letthemknow.org.au](http://www.letthemknow.org.au)** for advice or talk to your doctor.



Scan the QR code to find out more about syphilis and women's health.

**Did you know?**

# Syphilis is a serious infection that can harm you and your baby.

If you are pregnant or planning to have a baby, early testing is extra important to make sure you don't pass syphilis on to your baby.



**Syphilis** is a sexually transmitted infection (STI) that is passed on from one person to another during sex. More women aged 15 to 44 years old are getting it. Find out how you can protect yourself and your loved ones.



## **You might not have any symptoms**

Some people might not feel sick or know they have syphilis.

Look out for sores or ulcers, rashes, muscle and joint aches, headaches and fatigue.



## **Get a test regularly**

Syphilis tests are important routine tests during pregnancy. Visit your doctor, midwife or maternity service provider to get tested.

There is no shame in getting tested – it's private, quick and easy.



## **Treatment**

Treatment is easy – medication gets rid of the infection and is safe for you and your baby.

Without treatment, syphilis can affect your health and the health of your baby. This includes the possible death of your baby.



## **Stay safe**

Practice safe sex – use condoms with a new sexual partner and get tested regularly.

Sexual partners should also be tested regularly to stop syphilis passing back to you or to others.

If you do not feel comfortable contacting sexual partners yourself, you can visit [www.letthemknow.org.au](http://www.letthemknow.org.au) for advice or talk to your doctor.



Scan the QR code to find out more about syphilis and women's health.

**Did you know?**

# Syphilis is a serious infection that can harm you and your baby.

If you are pregnant or planning to have a baby, early testing is extra important to make sure you don't pass syphilis on to your baby.



**Syphilis** is a sexually transmitted infection (STI) that is passed on from one person to another during sex. More women aged 15 to 44 years old are getting it. Find out how you can protect yourself and your loved ones.



## **You might not have any symptoms**

Some people might not feel sick or know they have syphilis.

Look out for sores or ulcers, rashes, muscle and joint aches, headaches and fatigue.



## **Get a test regularly**

Syphilis tests are important routine tests during pregnancy. Visit your doctor, midwife or maternity service provider to get tested.

There is no shame in getting tested – it's private, quick and easy.



## **Treatment**

Treatment is easy – medication gets rid of the infection and is safe for you and your baby.

Without treatment, syphilis can affect your health and the health of your baby. This includes the possible death of your baby.



## **Stay safe**

Practice safe sex – use condoms with a new sexual partner and get tested regularly.

Sexual partners should also be tested regularly to stop syphilis passing back to you or to others.

If you do not feel comfortable contacting sexual partners yourself, you can visit [www.letthemknow.org.au](http://www.letthemknow.org.au) for advice or talk to your doctor.



Scan the QR code to find out more about syphilis and women's health.

**Did you know?**

# Syphilis is a serious infection that can harm you and your baby.

If you are pregnant or planning to have a baby, early testing is extra important to make sure you don't pass syphilis on to your baby.



**Syphilis** is a sexually transmitted infection (STI) that is passed on from one person to another during sex. More women aged 15 to 44 years old are getting it. Find out how you can protect yourself and your loved ones.



## **You might not have any symptoms**

Some people might not feel sick or know they have syphilis.

Look out for sores or ulcers, rashes, muscle and joint aches, headaches and fatigue.



## **Get a test regularly**

Syphilis tests are important routine tests during pregnancy. Visit your doctor, midwife or maternity service provider to get tested.

There is no shame in getting tested – it's private, quick and easy.



## **Treatment**

Treatment is easy – medication gets rid of the infection and is safe for you and your baby.

Without treatment, syphilis can affect your health and the health of your baby. This includes the possible death of your baby.



## **Stay safe**

Practice safe sex – use condoms with a new sexual partner and get tested regularly.

Sexual partners should also be tested regularly to stop syphilis passing back to you or to others.

If you do not feel comfortable contacting sexual partners yourself, you can visit [www.letthemknow.org.au](http://www.letthemknow.org.au) for advice or talk to your doctor.



Scan the QR code to find out more about syphilis and women's health.



**Did you know?**

# Syphilis is a serious infection that can harm you and your baby.

If you are pregnant or planning to have a baby, early testing is extra important to make sure you don't pass syphilis on to your baby.



**Syphilis** is a sexually transmitted infection (STI) that is passed on from one person to another during sex. More women aged 15 to 44 years old are getting it. Find out how you can protect yourself and your loved ones.



## **You might not have any symptoms**

Some people might not feel sick or know they have syphilis.

Look out for sores or ulcers, rashes, muscle and joint aches, headaches and fatigue.



## **Get a test regularly**

Syphilis tests are important routine tests during pregnancy. Visit your doctor, midwife or maternity service provider to get tested.

There is no shame in getting tested – it's private, quick and easy.



## **Treatment**

Treatment is easy – medication gets rid of the infection and is safe for you and your baby.

Without treatment, syphilis can affect your health and the health of your baby. This includes the possible death of your baby.



## **Stay safe**

Practice safe sex – use condoms with a new sexual partner and get tested regularly.

Sexual partners should also be tested regularly to stop syphilis passing back to you or to others.

If you do not feel comfortable contacting sexual partners yourself, you can visit [www.letthemknow.org.au](http://www.letthemknow.org.au) for advice or talk to your doctor.



Scan the QR code to find out more about syphilis and women's health.

**Did you know?**

# Syphilis is a serious infection that can harm you and your baby.

If you are pregnant or planning to have a baby, early testing is extra important to make sure you don't pass syphilis on to your baby.



**Syphilis** is a sexually transmitted infection (STI) that is passed on from one person to another during sex. More women aged 15 to 44 years old are getting it. Find out how you can protect yourself and your loved ones.



## **You might not have any symptoms**

Some people might not feel sick or know they have syphilis.

Look out for sores or ulcers, rashes, muscle and joint aches, headaches and fatigue.



## **Get a test regularly**

Syphilis tests are important routine tests during pregnancy. Visit your doctor, midwife or maternity service provider to get tested.

There is no shame in getting tested – it's private, quick and easy.



## **Treatment**

Treatment is easy – medication gets rid of the infection and is safe for you and your baby.

Without treatment, syphilis can affect your health and the health of your baby. This includes the possible death of your baby.



## **Stay safe**

Practice safe sex – use condoms with a new sexual partner and get tested regularly.

Sexual partners should also be tested regularly to stop syphilis passing back to you or to others.

If you do not feel comfortable contacting sexual partners yourself, you can visit [www.letthemknow.org.au](http://www.letthemknow.org.au) for advice or talk to your doctor.



Scan the QR code to find out more about syphilis and women's health.

**Did you know?**

# Syphilis is a serious infection that can harm you and your baby.

If you are pregnant or planning to have a baby, early testing is extra important to make sure you don't pass syphilis on to your baby.



**Syphilis** is a sexually transmitted infection (STI) that is passed on from one person to another during sex. More women aged 15 to 44 years old are getting it. Find out how you can protect yourself and your loved ones.



## **You might not have any symptoms**

Some people might not feel sick or know they have syphilis.

Look out for sores or ulcers, rashes, muscle and joint aches, headaches and fatigue.



## **Get a test regularly**

Syphilis tests are important routine tests during pregnancy. Visit your doctor, midwife or maternity service provider to get tested.

There is no shame in getting tested – it's private, quick and easy.



## **Treatment**

Treatment is easy – medication gets rid of the infection and is safe for you and your baby.

Without treatment, syphilis can affect your health and the health of your baby. This includes the possible death of your baby.



## **Stay safe**

Practice safe sex – use condoms with a new sexual partner and get tested regularly.

Sexual partners should also be tested regularly to stop syphilis passing back to you or to others.

If you do not feel comfortable contacting sexual partners yourself, you can visit **[www.letthemknow.org.au](http://www.letthemknow.org.au)** for advice or talk to your doctor.



Scan the QR code to find out more about syphilis and women's health.

**Did you know?**

# Syphilis is a serious infection that can harm you and your baby.

If you are pregnant or planning to have a baby, early testing is extra important to make sure you don't pass syphilis on to your baby.



**Syphilis** is a sexually transmitted infection (STI) that is passed on from one person to another during sex. More women aged 15 to 44 years old are getting it. Find out how you can protect yourself and your loved ones.



## **You might not have any symptoms**

Some people might not feel sick or know they have syphilis.

Look out for sores or ulcers, rashes, muscle and joint aches, headaches and fatigue.



## **Get a test regularly**

Syphilis tests are important routine tests during pregnancy. Visit your doctor, midwife or maternity service provider to get tested.

There is no shame in getting tested – it's private, quick and easy.



## **Treatment**

Treatment is easy – medication gets rid of the infection and is safe for you and your baby.

Without treatment, syphilis can affect your health and the health of your baby. This includes the possible death of your baby.



## **Stay safe**

Practice safe sex – use condoms with a new sexual partner and get tested regularly.

Sexual partners should also be tested regularly to stop syphilis passing back to you or to others.

If you do not feel comfortable contacting sexual partners yourself, you can visit **[www.letthemknow.org.au](http://www.letthemknow.org.au)** for advice or talk to your doctor.



Scan the QR code to find out more about syphilis and women's health.



**Did you know?**

# Syphilis is a serious infection that can harm you and your baby.

If you are pregnant or planning to have a baby, early testing is extra important to make sure you don't pass syphilis on to your baby.



**Syphilis** is a sexually transmitted infection (STI) that is passed on from one person to another during sex. More women aged 15 to 44 years old are getting it. Find out how you can protect yourself and your loved ones.



## **You might not have any symptoms**

Some people might not feel sick or know they have syphilis.

Look out for sores or ulcers, rashes, muscle and joint aches, headaches and fatigue.



## **Get a test regularly**

Syphilis tests are important routine tests during pregnancy. Visit your doctor, midwife or maternity service provider to get tested.

There is no shame in getting tested – it's private, quick and easy.



## **Treatment**

Treatment is easy – medication gets rid of the infection and is safe for you and your baby.

Without treatment, syphilis can affect your health and the health of your baby. This includes the possible death of your baby.



## **Stay safe**

Practice safe sex – use condoms with a new sexual partner and get tested regularly.

Sexual partners should also be tested regularly to stop syphilis passing back to you or to others.

If you do not feel comfortable contacting sexual partners yourself, you can visit **[www.letthemknow.org.au](http://www.letthemknow.org.au)** for advice or talk to your doctor.



Scan the QR code to find out more about syphilis and women's health.

**Did you know?**

# Syphilis is a serious infection that can harm you and your baby.

If you are pregnant or planning to have a baby, early testing is extra important to make sure you don't pass syphilis on to your baby.



**Syphilis** is a sexually transmitted infection (STI) that is passed on from one person to another during sex. More women aged 15 to 44 years old are getting it. Find out how you can protect yourself and your loved ones.



## You might not have any symptoms

Some people might not feel sick or know they have syphilis.

Look out for sores or ulcers, rashes, muscle and joint aches, headaches and fatigue.



## Get a test regularly

Syphilis tests are important routine tests during pregnancy. Visit your doctor, midwife or maternity service provider to get tested.

There is no shame in getting tested – it's private, quick and easy.



## Treatment

Treatment is easy – medication gets rid of the infection and is safe for you and your baby.

Without treatment, syphilis can affect your health and the health of your baby. This includes the possible death of your baby.



## Stay safe

Practice safe sex – use condoms with a new sexual partner and get tested regularly.

Sexual partners should also be tested regularly to stop syphilis passing back to you or to others.

If you do not feel comfortable contacting sexual partners yourself, you can visit [www.letthemknow.org.au](http://www.letthemknow.org.au) for advice or talk to your doctor.



Scan the QR code to find out more about syphilis and women's health.

**Did you know?**

# Syphilis is a serious infection that can harm you and your baby.

If you are pregnant or planning to have a baby, early testing is extra important to make sure you don't pass syphilis on to your baby.



**Syphilis** is a sexually transmitted infection (STI) that is passed on from one person to another during sex. More women aged 15 to 44 years old are getting it. Find out how you can protect yourself and your loved ones.



## **You might not have any symptoms**

Some people might not feel sick or know they have syphilis.

Look out for sores or ulcers, rashes, muscle and joint aches, headaches and fatigue.



## **Get a test regularly**

Syphilis tests are important routine tests during pregnancy. Visit your doctor, midwife or maternity service provider to get tested.

There is no shame in getting tested – it's private, quick and easy.



## **Treatment**

Treatment is easy – medication gets rid of the infection and is safe for you and your baby.

Without treatment, syphilis can affect your health and the health of your baby. This includes the possible death of your baby.



## **Stay safe**

Practice safe sex – use condoms with a new sexual partner and get tested regularly.

Sexual partners should also be tested regularly to stop syphilis passing back to you or to others.

If you do not feel comfortable contacting sexual partners yourself, you can visit [www.letthemknow.org.au](http://www.letthemknow.org.au) for advice or talk to your doctor.



Scan the QR code to find out more about syphilis and women's health.